

Author Index

- Abosch, A., see Fairfield, A.S., 77
 Affranchino, J.L., see Ibañez, C.F., 27
 Aguilar, Z., see Urbina, J.A., 185
 Akella, R., Arasu, P. and Vaidya, A.B.
 Molecular clones of α -tubulin genes of *Plasmodium yoelii* reveal an unusual feature of the carboxy terminus, 165
 Akella, R., see Suplick, K., 289
 Anders, R.F., see Lustigman, S., 217
 Arasu, P., see Akella, R., 165
 Arnon, R., see Marikovsky, M., 45
 Åslund, L., see Ibañez, C.F., 27
 Avilán, L., see Urbina, J.A., 185
- Balber, A.E., see Darling, T.N., 253
 Beck, E., see Felleisen, R., 19
 Blaxter, M.L., Miles, M.A. and Kelly, J.M.
 Specific serodiagnosis of visceral leishmaniasis using a *Leishmania donovani* antigen identified by expression cloning, 259
 Blum, J.J., see Darling, T.N., 253
 Boveris, A., see Giulivi, C., 243
 Brown, G.V., see Lustigman, S., 217
 Butterworth, A.E., see Havercroft, J.C., 83
 Bzik, D.J., Li, W.-b., Horii, T. and Inselberg, J.
 Amino acid sequence of the serine-repeat antigen (SERA) of *Plasmodium falciparum* determined from cloned cDNA, 279
 Bzik, D.J., see Horii, T., 9
- Camargo, M.E., see Ibañez, C.F., 27
 Campbell, G.H., see Lal, A.A., 291
 Collins, W.E., see Lal, A.A., 291
 Coombs, G.H., see Lockwood, B.C., 135
 Coppel, R.L., see Lustigman, S., 217
 Crampton, J.M., see Murray, K.A., 209
- Darling, T.N., Balber, A.E. and Blum, J.J.
 A comparative study of D-lactate, L-lactate and glycerol formation by four species of *Leishmania* and by *Trypanosoma lewisi* and *Trypanosoma brucei gambiense*, 253
 De la Cruz, V.F., see Lal, A.A., 291
 Denker, J.A., see Perrine, K.G., 97
 Dunne, D.W., see Havercroft, J.C., 83
- Eaton, J.W., see Fairfield, A.S., 77
 Eisen, H., see Petry, K., 113
 Estey, S.J. and Mansour, T.E.
 GTP binding regulatory proteins of adenylate cyclase in *Schistosoma mansoni* at different stages of development, 67
- Fairfield, A.S., Abosch, A., Ranz, A., Eaton, J.W., and Meshnick, S.R.
 Oxidant defense enzymes of *Plasmodium falciparum*, 77
 Felleisen, R., Klinkert, M.-Q. and Beck, E.
 Schistosoma mansoni: localisation of antigenic regions on the 31 kilodalton diagnostic protein, 19
- Fishelson, Z., see Marikovsky, M., 45
 Frasch, A.C.C., see Ibañez, C.F., 27
- Giulivi, C., Turrens, J.F. and Boveris, A.
 Chemiluminescence enhancement by trypanocidal drugs and by inhibitors of antioxidant enzymes in *Trypanosoma cruzi*, 243
- Hakomori, S.-i., see Petry, K., 113
 Havercroft, J.C., Huggins, M.C., Nene, V., Dunne, D.W., Richardson, B.A., Taylor, D.W. and Butterworth, A.E.
 Cloning of the gene encoding a 50 kilodalton potential surface antigen of *Schistosoma mansoni*, 83
 Helm, C.N., see Jones, J.T., 35
 Helwig, M., see Wunderlich, F., 55
 Horii, T., Bzik, D.J. and Inselberg, J.
 Characterization of antigen-expressing *Plasmodium falciparum* cDNA clones that are reactive with parasite inhibitory antibodies, 9
 Horii, T., see Bzik, D.J., 279
 Huggins, M.C., see Havercroft, J.C., 83
 Hughes, C., see Koronakis, V.E., 89
- Ibañez, C.F., Affranchino, J.L., Macina, R.A., Reyes, M.B., Leguizamon, S., Camargo, M.E., Åslund, L., Pettersson, U. and Frasch, A.C.C.
 Multiple *Trypanosoma cruzi* antigens containing tandemly repeated amino acid sequence motifs, 27
 Inselberg, J., see Bzik, D.J., 279
 Inselberg, J., see Horii, T., 9
- Jiménez, B.M., see Soong Lee, C., 271
 Jones, J.T., Helm, C.N. and Kusel, J.R.
 Variation in susceptibility of *Schistosoma mansoni* to damage by polycations, 35
- Kelly, J.M., see Blaxter, M.L., 259
 Klinkert, M.-Q., see Felleisen, R., 19
 Koronakis, V.E., Ross, A.M., Le Page, R.W.F. and Hughes, C.
 Nuclear factors binding to the mini-exon repeat of *Trypanosoma brucei*, 89
 Kouyate, B., see Murray, K.A., 209
 Kusel, J.R., see Jones, J.T., 35
- Lal, A.A., de la Cruz, V.F., Campbell, G.H., Procell, P.M., Collins, W.E. and McCutchan, T.F.
 Structure of the circumsporozoite gene of *Plasmodium malariae*, 291
 Lambeir, A.-M., see Opperdoes, F.R., 155
 Larralde, G., see Urbina, J.A., 185
 Le Page, R.W.F., see Koronakis, V.E., 89
 Leguizamon, S., see Ibañez, C.F., 27
 Li, W.-b., see Bzik, D.J., 279
 Liberator, P., see Profous-Juchelka, H., 233

- Lockwood, B.C., North, M.J. and Coombs, G.H.
The release of hydrolases from *Trichomonas vaginalis* and *Tritrichomonas foetus*, 135
- Lustigman, S., Anders, R.F., Brown, G.V. and Coppel, R.L.
A component of an antigenic rhoptry complex of *Plasmodium falciparum* is modified after merozoite invasion, 217
- Macina, R.A., see Ibañez, C.F., 27
- Majiwa, P.A.O., see Masake, R.A., 105
- Mansour, T.E., see Estey, S.J., 67
- Marikovsky, M., Fishelson, Z. and Arnon, R.
Purification and characterization of proteases secreted by transforming schistosomula of *Schistosoma mansoni*, 45
- Masake, R.A., Nyambati, V.M., Nantulya, V.M., Majiwa, P.A.O., Moloo, S.K. and Musoke, A.J.
The chromosome profiles of *Trypanosoma congolense* isolates from Kilifi, Kenya and their relationship to serodeme identity, 105
- McCall, P.J., see Murray, K.A., 209
- McCutchan, T.F., see Lal, A.A., 291
- Meshnick, S.R., see Fairfield, A.S., 77
- Miles, M.A., see Blaxter, M.L., 259
- Miller, J.S.
Effects of temperature elevation on mRNA and protein synthesis in *Leishmania mexicana amazonensis*, 175
- Miller, R.L., see Wang, A.L., 225
- Moloo, S.K., see Masake, R.A., 105
- Murray, K.A., Post, R.J., Crampton, J.M., McCall, P.J. and Kouyate, B.
Cloning and characterization of a species-specific repetitive DNA sequence from *Onchocerca armillata*, 209
- Musoke, A.J., see Masake, R.A., 105
- Nantulya, V.M., see Masake, R.A., 105
- Nene, V., see Havercroft, J.C., 83
- Nilsen, T.W., see Perrine, K.G., 97
- Nohynkova, E., see Oppendoes, F.R., 155
- North, M.J., see Lockwood, B.C., 135
- Nudelman, E., see Petry, K., 113
- Nyambati, V.M., see Masake, R.A., 105
- O'Sullivan, W.J., see Soong Lee, C., 271
- Oppendoes, F.R., Nohynkova, E., Van Schaftingen, E., Lambeir, A.-M., Veenhuis, M. and Van Roy, J.
Demonstration of glycosomes (microbodies) in the Bodonid flagellate *Trypanoplasma borelli* (Protozoa, Kinetoplastida), 155
- Perrine, K.G., Denker, J.A. and Nilsen, T.W.
A multi-copy gene encodes a potentially protective antigen in *Brugia malayi*, 97
- Petry, K., Nudelman, E., Eisen, H. and Hakomori, S.-i.
Sulfated lipids represent common antigens on the surface of *Trypanosoma cruzi* and mammalian tissues, 113
- Pettersson, U., see Ibañez, C.F., 27
- Post, R.J., see Murray, K.A., 209
- Procell, P.M., see Lal, A.A., 291
- Profous-Juchelka, H., Liberator, P. and Turner, M.
Identification and characterization of cDNA clones encoding antigens of *Eimeria tenella*, 233
- Queen, S.A., Vander Jagt, D. and Reyes, P.
Properties and substrate specificity of a purine phosphoribosyltransferase from the human malaria parasite, *Plasmodium falciparum*, 123
- Ramos, H., see Urbina, J.A., 185
- Ranz, A., see Fairfield, A.S., 77
- Reyes, M.B., see Ibañez, C.F., 27
- Reyes, P., see Queen, S.A., 123
- Richardson, B.A., see Havercroft, J.C., 83
- Rogers, W.O. and Wirth, D.F.
Generation of sequence diversity in the kinetoplast DNA minicircles of *Leishmania mexicana amazonensis*, 1
- Ross, A.M., see Koronakis, V.E., 89
- Sadigursky, M., see Von Kreuter, B.F., 197
- Santos-Buch, C.A., see Von Kreuter, B.F., 197
- Saul, A., see Suplick, K., 289
- Schillinger, G., see Wunderlich, F., 55
- Schoenmakers, J.G.G., see Wesseling, J.G., 143
- Smits, M.A., see Wesseling, J.G., 143
- Soong Lee, C., Jiménez, B.M. and O'Sullivan, W.J.
Purification and characterization of uridine (thymidine) phosphorylase from *Giardia lamblia*, 271
- Speth, V., see Wunderlich, F., 55
- Suplick, K., Akella, R., Saul, A. and Vaidya, A.B.
Molecular cloning and partial sequence of a 5.8 kilobase pair repetitive DNA from *Plasmodium falciparum*, 289
- Taylor, D.W., see Havercroft, J.C., 83
- Turner, M., see Profous-Juchelka, H., 233
- Turrens, J.F., see Giulivi, C., 243
- Urbina, J.A., Vivas, J., Ramos, H., Larralde, G., Aguilar, Z. and Avilán, L.
Alteration of lipid order profile and permeability of plasma membranes from *Trypanosoma cruzi* epimastigotes grown in the presence of ketoconazole, 185
- Vaidya, A.B., see Akella, R., 165
- Vaidya, A.B., see Suplick, K., 189
- Vander Jagt, D., see Queen, S.A., 123
- Van Roy, J., see Oppendoes, F.R., 155
- Van Schaftingen, E., see Oppendoes, F.R., 155
- Veenhuis, M., see Oppendoes, F.R., 155
- Vivas, J., see Urbina, J.A., 185
- Von Kreuter, B.F., Sadigursky, M. and Santos-Buch, C.A.
Complementary surface epitopes, myotropic adhesion and active grip in *Trypanosoma cruzi* - host cell recognition, 197
- Wang, A.L., Miller, R.L. and Wang, C.C.
Antibodies to the *Giardia lamblia* double-stranded RNA virus major protein can block the viral infection, 225
- Wang, C.C., see Wang, A.L., 225
- Wesseling, J.G., Smits, M.A. and Schoenmakers, J.G.G.
Extremely diverged actin proteins in *Plasmodium falciparum*, 143
- Wirth, D.F., see Rogers, W.O., 1
- Wunderlich, F., Helwig, M., Schillinger, G. and Speth, V.
Cryptic disposition of antigenic parasite proteins in plasma membranes of erythrocytes infected with *Plasmodium chabaudi*, 55

Subject Index

- Actin, 143
- Adenylate cyclase, 67
- Affinity-purified antibody, 217
- cAMP, 67
- Antibody, 225
- Antigen, 27, 83
- Antigenic complex, 217
- Antioxidant enzyme, 243

- Bodonidae, 155
- Brugia malayi*, 97

- Catalase, 77
- Cell-cell adhesion, 197
- Chemiluminescence, 243
- Chromosome profile, 105
- Circumsporozoite gene, 291
- Cloning, 83
- Complementary surface epitope, 197
- Concanavalin A, 45
- Constitutive antigen, 233
- Curing of viral infection, 225

- Development, 67
- Developmental changes, 35
- Diagnosis, 259, 289
- Diagnostic antigen, 19
- DNA probe, 209
- DNA sequencing, 97
- DNA-binding protein, 89
- cDNA gene bank, 9
- cDNA library, 233
- cDNA sequence, 279

- Eimeria tenella*, 233
- Electron spin resonance, 185
- Eosinophil cationic protein, 35
- Epimastigote, 185
- Epitope mapping, 19
- Ergosterol, 185
- Erythrocyte membrane, 55
- Euglena*, 155
- Evolution, 1, 143, 165
- Exoantigen, 9
- Exported antigen, 279
- Extracellular enzyme, 135

- Forskolin, 67
- Fructose 2,6-bisphosphate, 155

- Genomic clone, 97
- Giardia lamblia*, 271
- Giardia lamblia* double-stranded RNA virus, 225
- Glutathione peroxidase, 77
- Glycerol, 253
- Glycolytic enzyme, 155

- Glycosome, 155

- Heat shock, 175
- Human malaria parasite, 123
- Hydrolase, 135
- 5-Hydroxytryptamine, 67

- Inhibition of viral infection, 225

- Ketoconazole, 185
- Kinetoplast DNA, 1
- Kinetoplastida, 155

- D-Lactate, 253
- L-Lactate, 253
- Lambda gt11, 27
- Leishmania*, 1, 175, 253
- Leishmania donovani*, 259
- Lipid, 113
- Lysosome, 135

- Major viral protein, 225
- Malaria, 55, 165, 289
- Malaria vaccine, 279
- Mammalian tissue, 113
- Membrane signal transduction, 67
- Microtubule, 165
- Minicircle, 1
- Mini-exon, 89
- Mitochondrial DNA, 1
- Molecular cloning, 165, 289
- Monoclonal antibody, 113
- Multigene family, 97

- Non-genetic variation, 35

- Onchocerca armillata*, 209
- Oxidant defenses, 77
- Oxidant stress, 77
- Oxygen radical, 243

- Parasite inhibitory monoclonal antibody, 9
- Parasite protein, 55
- Parasite-host cell recognition, 197
- Passive permeability, 185
- Phosphorylase, 271
- Plasma membrane, 185
- Plasmodium*, 165
- Plasmodium chabaudi*, 55
- Plasmodium falciparum*, 9, 77, 123, 143, 217, 279, 289
- Plasmodium malariae*, 291
- Poly-L-lysine, 35
- Purine metabolism, 123
- Purine phosphoribosyltransferase, 123
- Pyrimidine, 271

Recombinant fusion protein, 259
Regulation of tubulin biosynthesis, 175
Repeated sequence, 289
Repetitive DNA, 209
Reverse Pasteur effect, 253
Rhoptry, 217
Rhoptry complex, 217
RNA Leader, 97

Salvage synthesis, 271
Schistosoma, 83
Schistosoma mansoni, 19, 35, 45, 67
Schistosomulum, 45, 67
Secreted enzyme, 45
Sequence similarity, 143
SERA gene, 279
Serine protease, 45
Serodeme, 105
Serotonin, 67
Skeletal muscle myoblast, 197
Sporozoite, 291
Sterol synthesis, 185

Subcellular localization, 135
Sulfated lipid antigen, 113
Superoxide dismutase, 77
Surface, 83

Tandem repeat, 27
Taxonomy, 209
Tegument, 83
Tegument surface, 35
Transcription, 89
Translational control, 175
Trichomonas vaginalis, 135
Tritrichomonas foetus, 135
Trypanoplasma borelli, 155
Trypanosoma brucei, 89
Trypanosoma congolense, 105
Trypanosoma cruzi, 27, 113, 185, 197, 243
Trypanosome, 253
 α -Tubulin, 165

Visceral leishmaniasis, 259

